


SC-FM-Connectivity Box

SC-MF08 & SC-MF06


Quick Start Guide



Step - 1

Check What's in the BOX

-  Does the product color match your needs.
-  Locking screws 2
-  Cable ties 6
-  Cutout template 1




Step - 2

Cut a slot in the table


model	Product images	Table opening size
SC-MF08		203*84mm(7.99" X 3.31")
SC-MF06		158*84mm(6.22" X 3.31")

-  we recommends using the template (packed with device) for maximal accuracy
-  Table thickness: 20-80mm (0.787-3. 15")




**Slide the unit into the slot
in the table**

Step-3




**Secure the unit with the two
locking screws provided**

Step-4



**Slide the modules into the
unit and push them into
the locking slots**

Step-5




**Place the lid on top to secure
all the modules**

Step-6

Option Modules




Quick Start Guide





This guide helps you install and use your modules



Modules List

 All modules are one color:Black-RAL9005

Model	Description	Specs	Drawing
SC-MF-UN	Universal standard power socket	Input 100-250V ~50/60Hz 10A Fuse - 10A 250V OUT-Maximum 10A	
SC-MF-GB	United Kingdom power socket	Input 100-250V ~50/60Hz 10A Fuse - 10A 250V OUT-Maximum 10A	
SC-MF-EU	EU power socket	Input 100-250V ~50/60Hz 10A Fuse - 10A 250V OUT-Maximum 10A	
SC-MF-US	American power socket	Input 100-250V ~50/60Hz 10A Fuse - 10A 250V OUT-Maximum 10A	

Model	Description	Specs	Drawing
SC-MF-2C	Dual grommet module to work with retractable cable unit	Accommodates two retractable cables up to 10 mm in diameter	
SC-RRJ45	Retractable RJ45 cable module	Retractable length 1500mm, fixed end 400mm	
SC-RTC	Retractable Type-C cable module	Retractable length 1500mm, fixed end 250mm Data transfer speed: 3.2 Gen, 20Gbps max. Resolution: 4K Charging: 100W max.	
SC-RUSB	Retractable USB3.0 cable module	USB-A 3.0, retractable length 1500mm, fixed end 250mm Data transfer speed: 5Gbps max.	
SC-RHDMI	Retractable HDMI cable module	HDMI 2.0, retractable length 1500mm, fixed end 250mm Resolution: 4K@60Hz	
SC-MF-CAT6	CAT6 Ethernet connectivity module	S/FTP CAT6a	

Model	Description	Specs	Drawing
SC-MF-2CAT6	2 CAT6 Ethernet connectivity module	S/FTP CAT6a	
SC-MF-TC	Data/charge Type-C connectivity module	Resolution: 4K Charging: 65W max. 10Gbps	
SC-MF-U3	USB3.0 connectivity module	5Gbps	
SC-MF-2H	Passive module with two HDMI female input ports and one HDMI female output. It also includes a switching function	4K-60Hz	
SC-MF-AC	1 USB-A + 1Type-C	Input 100-250V ~50/60Hz 10A Output TYPE-C: 5V3A/9V3A/12V3A/15 V3A/20V3.25A (65W) USB-A :5V3A9V/2A 12V1.5A	
SC-MF-HDMI	4K Female to Female HDMI module	4K-60Hz	
SC-MF-B	Blank module		